

INDEX

RUBBER CHEMISTRY AND TECHNOLOGY

VOLUME XXXIV, 1961

AUTHOR INDEX

	Page		Page
ALBAM, M. A., and PISARENKO, A. P. Pore formation kinetics in vulcanization.....	357	BRISTOW, G. M., see Allen, P. W.	
ALLEN, P. W., and BRISTOW, G. M. Light scattering of polyisoprene solutions	446	BROWN, R. W., see Howland, L. H.	
AMUNDSON, N. R., see Liu, Shean-lin		BUECHE, F. Mechanical degradation.....	466
ANDERSON, H. R., Jr., see Arnold, P. M.		— Mullins effect.....	493
—, Compounding for radiation resistance	228	BURGESS, K. A., see Sweitzer, C. W.	
ANDRESEN, A. Influence of high-activity silica on aging of latex TMTD vulcanizates	834	BUTTREY, D. N. Plasticizers, Book, 4th issue	xv
ANGER, L. G., ZENCHENKO, A. I., and KUZMINSKII, A. S. Volatilization of PBNA from rubber.....	807	CAMPBELL, T. W., see Sorenson, W.	
ARNOLD, P. M., KRAUS, G., and ANDERSON, H. R. Vulcanization by radiation.....	265	CERESA, R. J. Mechanochemical reactions leading to reinforcement. II. NR and phenolic resins.....	748
BACHMANN, J. B. see Sellers, J. W.		CHEETHAM, I. C., and GURNEY, W. A. Ozone air velocity and cracking.....	1220
BARTNEV, G. M., and LAVRENT'EV, V. V. Elastomeric friction.....	461	CHERUBIM, M., see Scheele, W.	
—, and GORBATKINA, YU. A. Second order transition, or vitrification, or glassing	1193	CLAXTON, W. E., see Conant, F. S.	
—, and ZAITZEVA, V. D. Dynamic vitrification and energy of activation.....	1201	CLUFF, E. F., and GLADDING, E. K. Structure and properties in polyurethans. Crosslinking	629
BECKER, R. O., and SELIGMAN, K. L. Stabilization of neoprene latex film against light	856	—, and ROGAN, R. B. Branching.....	639
BERGEN, J. T. Book, Viscoelasticity phenomena, 2nd issue.....	xiv	CONANT, F. S., and CLAXTON, W. E. The Cepar apparatus for measuring cure extrusion plasticity and recovery.....	777
BERLIN, A. A. Mechanochemical reactions of polymers.....	215	CROCKER, G. J., see Weidner, C. L.	
—, KRONMAN, A. G., YANOVSKII, D. M., and KARGIN, V. A. Graft polymers from PVC and rubber.....	760	CUONG, TUONG-CHI, see Fournier, P.	
BERTI, E. Review of SBR, 4th issue.....	xvi	DANNENBERG, E. M., see Bolt, T. D.	
BIDDISON, P. H., see Schmidt, E.		DANNIS, M. L. Thermal expansion technique for transition temperature measurement. II. Recorder for.....	705
—, see Stavely, F. W.		DAWSON, H. G., see Stavely, F. W.	
BIELSTEIN, G. High temperature vulcanization	319	DETENBER, J. D., see Murray, R. M.	
BINDER, J. L., see Stavely, F. W.		DEWITT, B. J., see Sellers, J. W.	
BISCHOP, K., see Grohn, H.		D'IANNI, J. D. Olefin and diolefin derived synthetic rubber.....	361
BLOKH, G. A., and MELAMED, Ch. L. Reaction of C black with S, MBT and TMTD in vulcanization.....	588	DIEM, H. E., TUCKER, H., and GIBBS, C. F. cis-1,4-Polyisoprene	191
BOLT, T. D., DANNENBERG, E. M., DOBBIN, R. E., and ROSSMAN, R. P. Carbon black structure in synthetic rubber.....	1141	DORBIN, R. E., see Bolt, T. D.	
—, and DANNENBERG, E. M. Carbon black structure and tire tread wear.....	43	DOGADKIN, B. A., see Bresler, S. E., Tutor-skill, I. A.	
BOSTROM, S. Kautschuk-Handbook, book review, 1st issue.....	xii	DRAKLEY, T. J. Annual report of progress in rubber, Book, 4th issue.....	xv
—, Kautschuk-Handbuch, book review, 3rd issue.....	xvi	DUNN, J. R. Oxidative aging in uv light of dicumyl peroxide cures containing antioxidants	686
BRESLER, S. E., MOSKOVITSKII, M. I., PODDUBNYI, I. YA., and SHI GUAN-I. Mechanism restricting chain growth in Zeigler polymerization.....	986	—, Oxidative stress relaxation of radiation cures with and without antioxidant	910
—, Dogadkin, B. A., KAZBEKOV, E. N., SAMINSKII, E. M., and SHERSHNEV, V. A. ESR in TMTD vulcanization....	318	—, and FOGG, S. G. Protection against light aging of transparent cures.....	919
		EKENBURG, E. G., see Poddubnyi, I. Ya.	
		ERMOLINA, A. V., see Igonin, L. A.	
		FERRY, JOHN D. Viscoelastic . . . properties, Book, 2nd issue	xiii
		FOGG, S. G., see Dunn, J. R.	
		FORDHAM, S. Silicones, Book, 2nd issue, ..	xii
		FORSTER, M. J., see Stavely, F. W.	
		FOURNIER, P., and TUONG-CHI-CUONG. Biosynthesis of rubber	1229
		FOXLEY, G. H. Degradation by chemical agents	1212

	Page		Page
FUKUDA, H., and TSURUGI, J. Chemistry of vulcanization with model compounds	648	LIVINGSTON, D. I., see Gehman, S. D.; see Yeh, G. S.	
GEHMAN, S. D., ROHALL, P., and LIVINGSTON, D. I. Biaxial fatigue testing	506	LORD, S. S., Jr., see Mitchell, J., Jr.	
GENT, A. N. Simple rotary dynamic testing machine	790	LORENZ, O., and PARKS, C. R. Antioxidant efficiency of <i>p</i> -phenylenediamines	816
—, and LINDLEY, P. B. Internal rupture of bonded cylinders in tension	925	LUFTER, C. H., see Starmer, P. H.	
GESSLER, A. M. Attrited carbon blacks in SBR, NR, etc.	16	LUKOMSKEYA, A. I. Reinforcing action and tear propagation	57
GEVANTMAN, I. H., see Shelberg, W. E.		—, Analysis of stressed state of specimens, tear tested by various methods	119
GIBBS, C. F., see Diem, H. E.		LUTZ, G. A., see Ungar, I. S.	
GINSBURG, L. B., see Tutorskii, I. A.		LYON, F., see Sweitzer, C. W.	
GLADDING, E. K., see Cluff, E. F.		LYUBCHANSKAYA, L. I., and KUZMINSKII, A. S., Main chain and crosslink degradation during aging	922
GOGOS, C. M., see Wiener, F. M.		McGAVACK, J. Growth of rubber literature, 4th issue	xiii
GORBATKINA, YU. A., see Bartenev, G. M.		McINDOE, K. G. Breeding of Hevea, Rubber Science Hall of Fame address	413
GOUGH, V. E. Dynamic tests, nonlinearity in vibration tests	527, 555	MARTEL, R. F., and SMITH, DAVID E. Vulcanization of neoprene with N,N'-dinitroso- <i>p</i> -phenylene-bis(hydroxylamine) salts	658
GREENSMITH, H. W. Rupture of rubber, paper VII. Effect of extension rate on tensile	76	MEDALL, A. I. Dispersion of C black in rubber, revised calculation procedure	1134
—, Tear and tensile relationship, paper VIII	85	MELAMED, CH. L., see Blokh, G. A.	
GRINTER, H. W., see Newton, E. B.		MEYER, W. E., see Kummer, H. W.	
GROHN, H., and BISCHOF, K. Mechanochemical degradation	474	MITCHELL, J., JR., and LORD, S. S., JR. Instrumental methods of analysis, review	1553
GUAN-I, SHI, see Bresler, S. E.		MONTERMOSO, J. C. Fluorine containing elastomers, review	1521
GUL, V. E. Mechanism of rupture	101	MOORE, C. G., SAVILLE, B., and WATSON, A. A. Acceleration by thiourea of TMTD cure	795
GURYANOVA, E. N., see Kuzina, L. S.		—, and SCANLAN, J. Crosslinking in NR. VI. Chain scission during	309
—, see Vakula, V. L.		MOSEVITSKI, M. I., see Bresler, S. E.	
GURNEY, W. A., see Cheetham, I. C.		MULLINS, L. Degree of crosslinking in NR. III and IV	708, 279, 290
HARRIES, CARL. Review of work (Whitby), 4th issue	xiii	—, and THOMAS, A. G. Degree of crosslinking in NR. V. Network flaws due to chain ends	301
HIATT, G. D., see Winding, C. C.		MURRAY, R. M., and DETENER, J. D. First and 2nd order transitions in neoprene	668
HINT, W. International rubber directory, Book, 3rd issue	xvii	NAUNTON, W. J. S. Applied science of rubber, Book, 2nd issue	xi
HOWLAND, L. H., and BROWN, R. W. Synthetic rubber latex	1501	NEWTON, E. B., GRINTER, H. W., and SEARS, D. S. Pico abrasion test	1
HUKE, D. W. Introduction to natural and synthetic rubber, Book, 3rd issue	xvii	NOVIKOV, A. S., see Shvetsov, V. A.	
IGONIN, L. A., ERMOLINA, A. V., OVCHINNIKOV, YU. V., and KARGIN, V. A. Molecular ordering in precipitated polymers	953	OVCHINNIKOV, YU. V., see Igonin, L. A.	
JANSSEN, H. J. J., and WEINSTOCK, K. V. Carbon black latex masterbatch, review	1485	PARKS, C. R., see Lorenz, O.	
KARGIN, V. A., see Berlin, A. A.; see Igonin, L. A.		PAYNE, P. L. Rubber and railways, Book, 3rd issue	xix
KAZBEKOV, E. N., see Bresler, S. E.		PISARENKO, A. P., see Shvetsov, V. A.; see Albam, M. A.	
KOROTKOV, A. A., and RAKOVA, G. V. Isoprene tagged with C ¹⁴	991	PODDUBNYI, I. YA., and ERENBURG, E. G. Branching in butadiene rubber	975
KRAUS, G., see Arnold, P. M.		—, see Bresler, S. E.	
KRONMAN, A. G., see Berlin, A. A.		RABINOVITCH, D. I., see Spasskova, A. I.	
KUMMER, H. W., and MEYER, W. E. Rubber and tire friction, Book, 1st issue	xi	RAEVSKII, V. G., and VOYUTSKII, S. S. Influence of vulcanization on adhesion to nonvulcanizing polymers	879
KUZINA, L. S., and GURYANOVA, E. N., Isotopic exchange of free S	600	RAKOVA, G. V., see Korotkov, A. A.	
KUZMINSKII, A. S., see Lyubchanskaya, L. I.		REHNER, J., JR., Mol. wt. distribution without fractionation	453, 460
—, see Angert, L. G.		ROSSMAN, R. P., see Bolt, T. D.	
LADD, M. W., see Ladd, W. A.		ROGAN, J. B., see Cluff, E. F., and Gladding, E. K.	
LADD, W. A., and LADD, M. W. Electron microscope in rubber research	697	ROHALL, P., see Gehman, S. D.	
LANDEL, R. F., and STEEDY, P. J. Stress as a reduced variable. Stress relaxation of SBR	884	ROTH, F. L., and STIEHLER, R. D. Standard materials for compounding	798
LAVRENTIEV, V. V., see Bartenev, G. M.		ROUSSEL, P. A., see Seligman, K. L.	
LEIGH-DUGMORE, C. H. Book, Microscopy of rubber, 2nd issue	xv	SARCHTLING, H. Plastics, rubber and fibers, Book, 4th issue	xv
LENER, M. E. Bibliography of rubber literature, Book review, 1st issue	xiv	SAMINSKII, E. M., see Bresler, S. E.	
—, Rubber red book, Book, 3rd issue	xviii	SAVILLE, B., see Moore, C. G.	
LINDLEY, P. B., see Gent, A. N.		SCANLAN, J. Network flaws in vulcanizates	141
LISKA, J., see Conant, F. S.			
LIU, SHEAN-LIN, and AMUNDSON, N. R. Polymerization kinetics, digital computer analysis of	994		

	Page		Page
SCANLON, J., see Moore, C. G.		TANGORRA, G. New indentor hysteresimeter	347
SCHEELE, WALTER. Kinetics of vulcanization, review	1306	THOMAS, A. G. Rupture and tear, paper VI	66
—, and CHERUBIM, M. Kinetics of sulfur concentration decrease	606	—, see Mullins, L.	
SCHMIDT, E., and BIDDISON, P. H. Latex particle size distribution by fractional creaming with Na alginate	433, 1228	TRAFETNIKOV, A. A. An elastorelaxometer	165
SEARS, D. S., see Newton, E. B.		TRELOAR, L. R. G., see Wilson, N.	
SELIGMAN, K. L., and ROUSSEL, P. A. Stabilization of neoprene. II. Protection against heat aging	869	TSUKUGI, J., see Fukuda, H.	
—, see Becker, R. O.		TUCKER, H., see Diem, H. E.	
SELLERS, J. W., WAGNER, M. P., DEWITT, B. J., STUEBER, C. C., and BACHMANN, J. B. Reinforcement with silica in peroxide and radiation cured stocks	729	TURNER, D. T. Radiation crosslinking. Yields of hydrogen and crosslinks	735
SHELBERG, W. E., and GEVANTMAN, L. H. X-ray diffraction and radiation damage	250	TUTORSKI, I. A. Disulfide decomposition	334
SHERSHNEV, V. A., see Bresler, S. E.		UETZ, H., see Wellinger, K.	
SHVETSOV, V. A., NOVIKOV, A. S., and PISARENKO, A. P. Structure of filled NBR by the stretching (Mullins effect) method	959	UNGAR, I. S., and LUTZ, G. A. Unsaturation of butyl by ozonation	205
SLICHTER, W. P. NMR studies of elastomers	1574	VAKULA, V. L., YUN-TSUI, HE, GUL, V. E., and VOYUTSKII, S. S. Adhesion of high polymers	562
SMITH, DAVID E., see Martel, R. F.		VOYUTSKII, S. S., see Vakula, V. L.	
SMITH, FRANK B. High temperature curing	571	—, Adhesion and autohesion, Book, 3rd issue,	xiii
SMITH, T. L. Volume change and dewetting in filled stocks	123	—, see Raevskii, V. G.	
SMITH, THOR L., and STEDRY, P. J. Ultimate properties of SBR at constant elongation, time and temperature dependence	897	—, Adhesion and adhesives, Elastomeric	1188
SMITH, W. A., and WILLIS, J. M. Diene rubber: compounding and testing	176	WAGNER, M. P., see Sellers, J. W.	
SNOWDON, J. C. Dynamic properties and absorption of vibration	148	WATSON, A. A., see Moore, C. G.	
SORENSEN, W., and CAMPBELL, T. W. Methods of polymer chemistry, Book, 3rd issue	xviii	WEIDNER, C. L., and CROCKER, G. J. Adhesion and adhesives, elastomeric	1190
SPASSKOVA, A. I., see Yakubchik, A. I.		WEINSTOCK, K. V., see Janssen, H. J. J.	
—, and RABINOVITCH, D. I. Spongy polyisoprene structure	211	WELLINGER, K., and UETZ, H. Abrasive wear	482
STARCKE, P. H., and LUTTER, C. H. Swelling of NBR of varying nitrile content	964	WHITTY, G. STAFFORD, Review of work of Carl Harries, 4th issue	xiii
STAUDINGER, H., Rubber and cellulose, Book, 4th issue	xvi	WIENER, F. M., and GOGOS, C. M., Damping of reinforced rubber fabric at audio-frequencies	158
STAVELY, F. W., BIDDISON, FORSTER, M. J., DAWSON, H. G., and BINDER, J. L. Structure of natural rubbers	423	WILLIS, J. M., see Smith, W. A.	
STEDRY, P. J., see Landel, R. F.; see Smith, Thor L.		WILSON, N., and TRELOAR, L. R. G. Rubber models of yarns and cords	1169
STIEHLER, R. D., see Roth, F. L.		WINDING, C. C., and HIATT, G. D. Polymeric materials, Book, 3rd issue	xix
STOREY, E. B. Oil extended rubber, review	1402	WIEN, W. G. Chemistry of NR production, review given at Rubber Science Hall of Fame	378
STUEBER, C. C., see Sellers, J. W.		YABUTA, SHIRO. Permanent set and specimen shape	342
SWEITZER, C. W., BURGESS, K. A., and LYON, F. Chemistry of carbon black reinforcement	709	YAKUBCHIK, A. I., and SPASSKOVA, A. I. NBR structure by ozonolysis	200
		YANOVSKI, D. M., see Berlin, A. A.	
		YEH, G. S., and LIVINGSTON, D. I. Indentation and puncture properties	937
		YUN-TSUI, HE, see Vakula, V. L.	
		ZAITZEVA, V. D., see Bartenev, G. M.	
		ZENCHENKO, A. I., see Angert, L. G.	

SUBJECT INDEX

	Page		Page
Abrasion		Crosslinking	
Pico abrasion test	1	Degree of in NR. III.	279, 708
Wear research	482	Degree of in NR. IV.	290
Acceleration		And network flaws. V.	301
By thiourea of TMTD cure	795	With organic peroxides. VI.	309, 456, 729
Accelerators, Exchange with S ⁸⁰ polysulfides, etc.	588, 597, 600	Crosslinking	
See kinetics of vulcanization		Peroxide	729, 456
See crosslinking		Radiation	735
Adhesion		Kinetics of, see kinetics of vulcanization	
And Autohesion, Book, 3rd issue	xiii	Crosslinks	
Adhesion and adhesives, elastomeric	1183, 1190	"True" density	455
Aging		Chemical and physical	456
Degradation of main chains and of crosslinks	922	See also Moore and Watson, Mullins, crosslinking	
Aging in ultraviolet light	686	Crystallization, rate m.p., etc.	
Aging of latex stocks containing silica	834	In neoprene, rate of	668
Annual report of rubber technology, Book, 4th issue	xv	Cure, curing, high temperature	319, 571
Antioxidant efficiency of <i>p</i> -phenylene diamines	816	Measurement, see Cepar	
Antioxidants, in uv light aging of dicumyl peroxide cures	686	Damping characteristics at audio frequencies	158
In fatigue testing	522	Degradation, biaxial fatigue	506
In radiation cures, effect on stress relaxation	910	Mechanical	466
Antirads	741	Main chains and crosslinks	334, 922
See antioxidants		By chemical agents	1212
Applied science of rubber, Book, 2nd issue	xi	Oxidative	1212
ASTM 1960 supplement to book of standards, Book, 3rd issue	xvi	Ozone, 4th issue	xxii, 525, 1220
Attrited carbon black	16	Radiation	729, 735
Autohesion, see adhesion		See kinetics, polymerization, vulcanization, aging, mechanochemical, etc.	
Bacteria in NR latex and tree	378	DeMattia cracking test, 1st issue	xx, xxvii
Biaxial fatigue	506	Dialkyl- <i>p</i> -phenylene diamines	828
Bibliography of rubber literature, M. E. Lerner, Editor-in-Chief, Book, 1st issue	xiv	Diaryl- <i>p</i> -phenylene diamines	819
Bibliographies, Rubber Division Library, 1st issue	xii	Diene polymers	
Biosynthesis of NR, review	378, 1229	Infrared study of	423, 1553
Block polymers	215	Dicumyl peroxide vulcanizates	456
Branching	639	Aging in uv light	686
In polybutadiene	975	Silica filled stocks	730
Butadiene rubber compounding and testing	176	Digital computer solution of polymerization rate equations	994
Branching in	975	Dilatometry	
Butyl rubber		Study of deformation	133
Ozonation	205	Diphenylmethane, As model for rubber in study of vulcanization	648
Butyl rubber, review	372	Dynamic testing	
Calculation procedure for C black dispersion	1134	Simple rotary machine for	790
Carbon Black		Dynamic properties and absorption of vibration	148
Attrited	16	Dynamic tests, nonlinearity of	527, 555
Effect on fatigue	519	Elastomers	
Reinforcement, chemistry of	709	Fluorine containing	1521
Structure and wear	43	See SBR, NBR, neoprene, butyl, polyurethan	
Filled stocks and tear	57	Elastomeric friction	461
Dispersion	1134	Elastorelaxometer for large reversible deformations of elastomers and polymer solutions	165
Low modulus furnace	114	Electron microscope in rubber research	697
Latex masterbatch process, review	1485	Electron spin resonance during TMTD vulcanization	318
Carbon black, reaction with S, MBT and TMTD in vulcanization	588	Fabric reinforced strips, damping of	158
Heat treatment	593	Fatigue testing	506
Latex masterbatch process, review		Fillers, filled stocks. See carbon black, other fillers, reinforcement, abrasion, etc.	
Cavitation, see rupture, internal		First and second order transitions	
Cepar apparatus (cure, extrusion, plasticity, recovery)	777, 765	In neoprene	668
Chain entanglement	285	Technique for	705
Compounding ingredients, Book, 2nd issue	xv	Flaws in networks	301
Compounding, standard materials for	798	Flaws in vulcanizate networks	141
Computer study of polymerization rate	994	Flaws in filled stocks	123, 925
Copolymerization, see polymerization		Flex testing	507
Cords		See ISO	
Cracking		Fluorine containing elastomers, review	1521
1st issue	xx, xxvii	Friction, 1st issue	xi
Air velocity in	1220	Friction in elastomers	461
See ozone		Glass temperature	668, 705
		See vitrification	
		Glycerol, effect on cure	21

	Page		Page
Graft polymers	215	Molecular weight	
From PVC and rubber	760	Initial on stress-strain	290
Graft polymers from NR	378	Molecular weight distribution	
Without fractionation		453	
Hardness, change in NR	378	Mullins effect, mol. basis of	493
See indentation		In NBR	959
Harries, Carl, Review of work of (Whitby), 4th issue	xxii	Natural and synthetic rubbers, introduction, D. W. Huke, 3rd issue	xvii
Hevea, breeding of, Rubber Science Hall of Fame address	413	Natural rubber production, chemistry, review given at Rubber Science Hall of Fame	378
Hydrogen formed during crosslinking	735	Natural rubbers, structure, 4th issue xxii, 378, 423	
Hysteresimeter, indenter, new	347	NBR of varying polarities in adhesion	562
Impact tests	555	NBR rubber	
Indentation property	937	Structure by ozonolysis	200
Induction period		Structure of filled	959
See kinetics of vulcanization		Swelling effects of, of varying nitrile con- tent in solvents and mixed solvents	964
Infrared spectroscopy		Neoprene	
See instrumental methods		Vulcanization with N,N'-dinitroso- <i>p</i> -phenyl- ene-bis (hydroxylamine) salts	658
Infrared and structure of natural rubbers ...	423	First and 2nd order transitions	668
Instrumental methods of analysis, review	1553	Film, stabilization	856
International rubber directory, W. H. Hirt, Book, 3rd issue	xvii	Network flaws and elastic properties	141
Isomerization of NR	378	Nitrile butadiene rubber. See NBR	
Isoprene tagged with C ¹⁴	991	Nitrosodiphenylamine, action on rubber	1212
ISO recommendations		Nuclear magnetic resonance, review	1574
KOH No. of latex, 1st issue	xvii	Oil extended rubber, review	1402
Flex cracking test, 1st issue	xx	Olefin and diolefin rubbers, review	361
Flex cracking test, 1st issue	xxvii	Ozone, review of work of Harries, 4th issue xxii	
Kautschuk-Handbuch, Boström, Book, 1st issue	xi	Ozone testing, with biaxial fatigue technique Air velocity in	525
Kautschuk-Handbuch, Boström, Book, 3rd issue	xvi	Ozonolysis of NBR	200
Kinetics, of polymerization	994	Of butyl	205
Of rupture	108	PBNA and fatigue	525
Kinetics, of vulcanization, review	1306	Volatilization from rubber	807
Of vulcanization	606	Permanent set and specimen shape	342
Of polymerization, computer study	994	Peroxide cured silica stocks	729
See dicumyl peroxide		Phenolic resins in reinforcement	748
Latex carbon black masterbatch process, re- view	1485	Pico abrasion test	1
Latex KOH No., 1st issue	xvii	Plasticizers, Book, 4th issue	xv
Latex, synthetic, review	1501	Plastics, rubber and chemical fibers, Book xv	
Latex, NR review	378	Poisson's ratio in filled stocks	123
Neoprene, film from, stabilization against light	856	In foams	123
Latex particle size distribution by fractional creaming with Na alginate	433, 1228	Polarity in adhesion	562
Latex particle size fractionation	433, 1228	Polybutadiene	176, 362, 423, 975
Latex stocks		Polyisoprene, light scattering	446
Aging, effects of silica on	834	Microstructure, see infrared, x-ray diffraction	
Light, stabilization of neoprene film toward light scattering of dissolved polyisoprene	446	Polyisoprene, spongy, structure	211
Literature, growth of, 4th issue	xiii	Polyisoprene, see also natural rubber	
Materials, research and standards		<i>cis</i> -1,4-Polyisoprene rubber	191
New journal, 3rd issue	xx	Polymer materials, C. C. Winding and G. D. Hiatt, Book, 3rd issue	xix
MBT		Polydiene elastomers, review	362
In reinforcement, use of S ³⁵ in	597	Microstructure, see infrared, x-ray diffraction	
MBTS		Polymerization kinetics	994
Reaction with diphenylmethane, S, and zinc butyrate	648	Polyolefin elastomeric polymers and co- polymers, review	371
Mechanical, vibration	148	Polystyrene, vibromilling of	474
Properties of glass bead filled PVC	123	Polystyrene	
Mechanical degradation	466	Crosslinked	457
Fatigue, biaxial	506	Polysulfides	
Mechanism of vulcanization		In vulcanization	597, 600
See vulcanization, kinetics, etc.		See kinetics of vulcanization	
Mechanochemical		Polyurethans, crosslinking in	629
Degradation	466, 474	Polyurethans, branching in	639
See fatigue, vibromilling		Poly(vinyl chloride) and rubber graft poly- mers	760
Mechanochemical polymer reactions	215	Poly(vinyl chloride) filled with glass beads for study of reinforcement	123
Leading to reinforcement	748	Pore formation in vulcanization	357
Microscopy of rubber, Book, C. H. Leigh- Dugmore, 2nd issue	xv	Preparative methods of polymer chemistry, W. Sorenson and T. W. Campbell, Book, 3rd issue	xviii
Microstructure		Puncture property	937
See instrumental methods, Infrared, x-ray, structure			
Models, rubber of yarns and cords	1169		
Molecular ordering in polymers precipitated from solution	953		

	Page		Page
Radiation crosslinking		Structure of natural rubbers	423
Yields of hydrogen and crosslinks	735	Of synthetic rubber-carbon black	1141
Radiation cured silica stocks	729	Sulfur	
Radiation cures with and without antioxidant,		Free, total, sulfide in vulcanizates	575, 606
oxidative stress relaxation of	910	See radiosulfur, kinetics, vulcanization	
Radiation damage and x-ray diffraction	250	Synthetic rubber review	361
Radiation resistance	228	Tear and rupture	66
Radiation vulcanization	265	Mechanism of rupture	101
Radiosulfur		Mechanism of tear	119
In reinforcement reactions	588	Tear propagation	57
Exchange with TMTD, accelerators, etc.	600	Tear testing and analysis of stressed state	119
Reduced variables in dynamic behavior	148	Temperature	
Reinforcement		Effects on rates, See kinetics, degradation,	
Attrited carbon black in	16	vulcanization, etc.	
Tear propagation and	57	Tensile, effect of extension rate on	76
By way of mechanochemical reactions	748	Effect of oxygen on	110
See abrasion, carbon black structure		Tensile	101
Reinforcement		See rupture	
Mullins effect	493	Textiles, rubber models of yarns and cords	
Phenolic resins in	748	Thermal expansion technique for transition	
Fatigue testing and	519	temperature measurement. II. Automatic	
Reaction of carbon black with S, MBT		recording system	705
and TMTD	588	Thiuram vulcanization	
Study of, with S ²²	588	See kinetics, see TMTD	
Volume change and dewetting in glass bead-		Tire friction, 1st issue	xi
PVC-elastomer systems	123	Tire tread wear	43
Rolling wheel tests	555	TMTD, see vulcanization	
Rubber and cellulose, Book, 4th issue	xvi	Containing S ²² in reinforcement	597
Rubber and railways, Payne, P. L., Book,		Exchange with S ²²	600
3rd issue	xix	Trade names of rubbers, plastics and resins,	
Rubber literature, 4th issue	xiii	Book, 3rd issue	xv
Rubber red book, M. E. Lerner, Book, 3rd		Transitions	1193, 1201
issue	xviii	See neoprene	
Rupture, internal in cylinders under tension	925	Ultimate properties of SBR at constant elon-	
Rupture of rubber	57, 119	gation, time and temperature dependence	897
Paper VI, tear	66	See transitions, tensile	
Paper VII, extension rate on tensile	76	Unsaturation	
Paper VIII, relation of tear to tensile	85	Determination by ozonation	205
Mechanism	101, 108	Vibration test methods	527
Kinetics	108	Vibromilling	474
Russian synthetic rubber, review	374	Viscoelasticity phenomena, Book, J. D. Ferry,	
		2nd issue	xiv
SBR		Viscoelastic properties, J. T. Bergen, Book,	
Compounding for radiation resistance	228	2nd issue	xiii
Radiation	265	Vitrification	
Polymerization rate equations, solution		Static and dynamic	1193
with computer	994	Dynamic, energy of activation	1201
SBR, Review, 4th issue	xvi	Vacuoles in filled stocks	123
Scorch period		Vulcanizate, flaws in	141
See kinetics of vulcanization, accelerators		Vulcanization chemistry VIII. Zn butyrate	
Second order transition	668, 1193, 1201	on the reaction of diphenylmethane, S	
Severity		and MBTS	648
See abrasion, Pico test for		Vulcanization, High temperature	319, 571
Silica, effect on thermal aging of latex		Activating effect of glycerine in	21
thiuram cures	834	By radiation	265
Silica, reinforcement with, in radiation and		Pore formation	357
peroxide cured stocks	729	Kinetics	319, 357, 606
Silicones, S. Fordham, Book, 2nd issue	xii	Sulfur combination	571
Sodium alginate creaming	433, 1228	Non sulfur	571
Soviet plastics, new journal, 3rd issue	xv	Measurement, see Cepar	
Statistics of fatigue testing	512	Glycerol, effect on	21
SP rubber	378	Review	1306
Standard materials for compounding	798	Vulcanization, TMTD, ESR study	318
Stress analysis by tear tests	119	Wear Carbon black structure and tire tread	
Stress as a reduced variable. Stress relaxation		wear	43
at large strains of SBR rubber	884	Wheel tests	555
Stress relaxation of SBR	884	X-ray diffraction and radiation damage	250
Stress relaxation, oxidative of radiation cures	910	X-ray diffraction of natural rubbers	423
Stress-strain		Yarns and cords, rubber models of	1169
Of highly swollen rubber	279	Ziegler polymerization, restriction of chain	
See also permanent set		growth	361, 986
Stress-strain at large extension	290		
Structure, see other headings, e.g., ozonolysis,			
isomerization, grafting, NR, NBR, SBR,			
crosslinking, infrared, x-ray diffraction,			
instrumental			

